

PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier	Retanol EKA BW Pro 1
1.2.	Relevant identified use of the	Relevant identified use:
	substance or mixture and uses	Additive for cement screed
	advised against	
1.3.	Details of the supplier of the safety	Company:
	data sheet	PCT Chemie GmbH 71106 Magstadt
		Germany phone: +49 7159 4062-0
		Email address: info@pct-chemie.de
1.4.	Emergency contact	Telephone: +49 7159 4062-0

SECTION 2: Potential hazards

2.1.	Classification of the substance or mixture	According to Regulation (EC) No 1272 / 2008 (CLP): According to GHS criteria the product is not liable to classification.
2.2.	Labelling elements	According to Regulation (EC) No 1272 / 2008 (CLP): According to GHS criteria the product is not subject to labelling. Signal word: No signal word. Hazard statement: No hazard statement. Supplemental labelling elements: EUH208: Contains triisobutyl phosphate, may cause allergic reactions. EUH210: Safety data sheet available on request.
		Safety instructions (prevention): P280c: Wear protective gloves.
2.3.	Other hazards	According to Regulation (EC) No 1272 / 2008 (CLP):







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

No particular hazards known, if stored and
handled as prescribed/indicated.

SECTION 3: Composition/information on ingredients

3.1. Substances	Not applicable.
3.2. Mixtures	Chemical characterisation:
	Aliphatic acid condensate, additives
	Hazardous ingredients (GHS) according to
	Regulation (EC) No 1272/2008:
	Triisobutyl phosphate
	Content (W/W): >= 0.2 % - <= 0.7 %
	CAS No: 126-71-6
	EC No: 204-798-3
	Skin Sens. 1B
	H317
	Hazardous ingredients according to Regulation
	<u>1999/45/EC:</u>
	Triisobutyl phosphate
	Content (W/W): >= 0.2 % - <= 0.7 %
	CAS No: 126-71-6
	EC No: 204-798-3
	Hazard symbol(s): Xi
	R phrases: 43
For the classifications not written out in full in the	nis section, including the hazard designation, the

SECTION 4: First-aid measures

4.1.	Description of the first-aid measures	Remove polluted clothes.
		After skin contact:
		Clean off immediately with plenty of soap and
		water.
		After eye contact:

hazard symbols, the R phrases and hazard statements, the full text is listed in section 16.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable version

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

		Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
		After swallowing:
		Immediately rinse mouth and drink plenty of
		water, seek medical attention.
4.2.	Most important symptoms and	Symptoms:
	effects, both acute and delayed	The most important known symptoms and
		effects are described in the labelling of the
		product (see section 2) and/or in section 11.
4.3.	Indication of any immediate medical	Treatment:
	attention or special treatment needed	Symptomatic treatment, no specific antidote
		known.

SECTION 5: Fire-fighting measures

5.1.	Extinguishing agents	Suitable extinguishing agents:
		Water, spray water, foam, dry extinguishing
		agent, carbon dioxide
5.2.	Special hazards arising from the	Carbon dioxide, carbon monoxide, harmful
	substance or mixture	vapours, nitrogen oxides, fumes, carbon black
5.3.	Advice for firefighters	Special protective gear:
		Wear protective respiratory gear that is
		independent of recirculating air.

SECTION 6: Accidental release measures

6.1.	Personal precautions, protective	Advice for non-emergency personnel:
	equipment and emergency	Wear protective gear. Do not inhale
	procedures	vapour/aerosol/spray mist. Avoid substance
		contact. Please follow the usual precautions
		when dealing with chemical products for
		construction. Prevent skin contact by keeping
		a safe distance or by wearing suitable
		protective clothing.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable version

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

		Indications for emergency personnel:
		Use protection as stated in section 8 to
		prevent any contamination of skin, eyes and
		personal clothing.
6.2.	Environmental protection measures	Tainted water/extinguishing water should not
		get into the sewerage/surface
		water/groundwater. Disposal according to
		official regulations.
6.3.	Methods and material for	Absorb with liquid-binding material.
	containment and cleaning up	Contain/dam up. Larger quantities need to be
		pumped out. Dispose of absorbed material in
		accordance with the regulations.
6.4.	Reference to other sections	For more information on exposure limits and
		controls/personal protection measures and
		information on the disposal, please refer to
		sections 7, 8 and 13.

SECTION 7: Handling and storage

7.1.	Precautions for safe handling	Avoid aerosol formation. Avoid inhaling mist/vapours. Avoid contact with skin. The usual precautions in handling with chemicals are to be observed. Guideline for a safe handling: No special precautions necessary when applied correctly. Guideline for fire and explosion protection:
7.2.	Conditions for safe storage, including any incompatibilities	No special precautions necessary. Keep only in the original container in a cool, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store in a frost-protected area. Storage class: Non-flammable liquids.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

7.3. Specific end uses	In the case of the identified relevant use
	according to section 1 the indications set forth
	in this section 7 must be observed.

SECTION 8: Exposure limits and control/personal protective equipment

8.1.	Parameters to be monitored	Components with occupational exposure
		limits:
		No occupational exposure limits to be
		monitored known.
8.2.	Exposure limits and control	Personal protective equipment:
		Hand protection gear: Hand protection gear:
		suitable chemical resistant protective gloves
		(EN 374).
		Because of the considerable number of
		product types, please observe the Operating
		Instructions of the respective manufacturer.
		Eye protection: safety goggles with side
		protection (frame of glasses for ex. EN 166)
		General protection and hygiene measures:
		Do not inhale gases/vapours/aerosols. Avoid
		contact with skin, eyes and clothing. Avoid
	exposure. Please follow the usual precautions	
	when dealing with chemical products for	
		construction.
		Wearing of closed work clothing is
		recommended. Do not eat, drink or smoke
		while using.
		Wash hands and/or face before breaks and at
		the end of work. Thoroughly clean and care for
		skin after handling the product. Gloves must
		be inspected regularly and prior to each use.
		Replace, if required (for ex. small leaks).
		Environmental exposure limits and control:







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

version.

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

See sections 6 and 7.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and	Form:
	chemical properties	Liquid
	Properties	Colour:
		Brown to dark brown
		Odour:
		Typical
		Change of state:
		Boiling point/boiling range: 100 °C
		Flash point:
		Not applicable.
		Self-inflammability:
		Not spontaneously inflammable.
		Explosion hazard:
		Not explosion-prone.
		Oxidising properties:
		Not oxidising.
		Vapour pressure at 20°C:
		23 hPA
		Density:
		Approx. 1.05 g/cm³ (at 20°C)
		Relative density:
		Approx. 1.05
		Relative vapour density (air):
		Not determined.
		Partition coefficient: n-octanol/water:
		Not required.
		Thermal decomposition:
		Not determined.
		Viscosity, dynamic:
		Not determined.
		Solubility in / miscibility with water: Mixable
		pH value:







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable version

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

		5-6
9.2.	Miscellaneous information	Indicate other physical and chemical
		parameters in this section, if required.

SECTION 10: Stability and reactivity

10.1. Reactivity	No dangerous reactions, if stored and handled as prescribed/indicated.
10.2. Chemical stability	The product is stable, if stored and handled as prescribed/indicated.
10.3. Possibility of dangerous reactions	No dangerous reactions, if stored and handled as prescribed.
10.4. Conditions to avoid	See section 7 – Handling and storage.
10.5. Incompatible materials	Substances to avoid:
	Strong acids, strong bases, strong oxidising agents, reactive chemical products.
10.6. Dangerous decomposition products	No dangerous decomposition products, if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	Acute toxicity: Assessment acute toxicity: On account of the available data, the classification criteria are not met.
	Primary irritant effect:
	Corrosive/irritant to skin:
	On account of the available data, the
	classification criteria are not met.
	Serious eye damage/eye irritation:
	On account of the available data, the
	classification criteria are not met.
	Sensitisation of respiratory tract/skin:
	The mixture does not cause skin sensitization.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable version

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

In spite of this, allergic reactions can occur in susceptible individuals.
Germ cell mutagenicity:
On account of the available data, the
classification criteria are not met.
Carcinogenicity:
On account of the available data, the
classification criteria are not met.
Reproduction toxicity:
On account of the available data, the
classification criteria are not met.
Specific target organ toxicity after single
exposure:
On account of the available data, the
classification criteria are not met.
 Specific target organ toxicity after repeated
exposure:
On account of the available data, the
classification criteria are not met.
Aspiration hazard:
On account of the available data, the
classification criteria are not met.
Additional toxicological information:
Hazardous ingredients according to Regulation
(EC) No 1272/2008:
Triisobutyl phosphate
Content (W/W): >= 0.2 % - <= 0.7 %
CAS No: 126-71-6
EC No: 204-798-3
Hazard symbol(s): Xi
R phrases: 43

SECTION 12: Environmental information

12.1. Toxicity	Assessment of aquatic toxicity:







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

	There is a high probability that the product is not acutely harmful to aquatic organisms.
12.2. Persistence and degradability	Assessment biodegradation and elimination (H2O): Not easily bio-degradable (according to OECD-criteria)
12.3. Bioaccumulation potential	No data available
12.4. Mobility in soil	No data available
12.5. Results of the PBT and vPvB assessment	The product does not meet the criteria for PBT (persistent/bioaccumulative/toxic), or vPvB (very persistent/very bioaccumulative)
12.6. Other adverse effects	No further relevant information available.

SECTION 13: Disposal information

13.1. Waste treatment methods	Do not dispose with domestic waste. Must be disposed of in compliance with local regulations, e.g. to a suitable landfill or incineration plant.
	Uncleaned packaging: May be used again after cleaning.
	Recommended detergent: Water
	<u>Trading name:</u> Retanol EKA BW Pro 2

SECTION 14: Shipment information

14.1. UN number	ADR/RID/ADN, IMDG, IATA not applicable
14.2. UN proper shipping name	ADR/RID/ADN, IMDG, IATA not applicable
14.3. Transport hazard class	ADR/RID/ADN, IMDG, IATA not applicable
14.4. Packing group	ADR/RID/ADN, IMDG, IATA not applicable
14.5. Environmental risks	Marine pollutant: No
14.6. Special precautions for user	Not applicable.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

Date/revision date: 04 July 2022

Date/Tevision date. 04 July 2022
Product: Retanol EKA BW Pro 1
Print date: 17 August 2021

14.7. Transport in bulk according to Annex II of MARPOL Convention and the IBC	Not applicable.
Code	
Transport/further details	No hazardous good according to the above
	specifications.
UN "Model Regulation"	Not applicable.

SECTION 15: Legislation

15.1	regulations/legislation specific for the	Directive 2012/18/EU Dangerous substances listed by name - ANNEX I
	substance or mixture	None of the ingredients is listed.
		National regulations:
		Water hazard class:
		WGK 1 (self-classification):
		Slightly hazardous to water.
		If other legislation has to be applied and is not
		specified elsewhere in this Safety data sheet
		this can be found in this subsection.
15.2.	Chemical safety assessment	Chemical safety assessment not necessary.

SECTION 16: Miscellaneous information

Data sheet issuing authority	PCT Chemie GmbH Hemmingen
Contact person	Dept.: Technical Services
	Bernhard Friedrich Mobile: +49 151 526
	50921
Other intended applications should be discussed with the manufacturer.	

Full words of all classifications, including the hazard designation, hazard symbols, R phrases and hazard statements, if identified in section 2 or 3:

EUH208: Contains triisobutyl phosphate, may cause allergic reactions.







PCT safety data sheet pursuant to Regulation (EC) No 1907/2006 in the currently applicable

version.

Date/revision date: 04 July 2022 **Product:** Retanol EKA BW Pro 1 **Print date:** 17 August 2021

EUH210: Safety data sheet available on request

Skin Sens. 1

H317: May cause an allergic skin reaction.

Hazard symbol(s): Xi irritant

R phrases: 43 May cause sensitisation by skin contact.

The information mentioned above is based on our current knowledge and does not present a warranty of any feature and therefore does not justify a legal relationship or any warranty claim. Existing laws and regulations need to be observed by the recipient's sole responsibility. The technical data sheet that is currently in force is downloadable at www.pct-chemie.de.

